

63mm Timberstyle Venetian



TIMBERSTYLE Blinds are the practical affordable alternative to timber venetians with the look of real wood. Manufactured using advanced polystyrene polymers, TIMBERSTYLE is resistant to cracking, peeling, discolouration and warping.

TIMBERSTYLE is ideally suited to Australian heat conditions. Unlike its timber counterparts, TIMBERSTYLE has no variation in colour and texture, and is completely washable with no need for refinishing.

Perfect for bathrooms and ensuites. Slat widths are available in 50mm or 63mm in a fashionable range of colours. TIMBERSTYLE offers two valance styles for that finishing touch.

Available Sizes

Width:

Maximum Recommended width is 2400mm.

Absolute Maximum Width is 2730mm.

Minimum Width is 180mm.

Blinds 180mm-260mm width will have filter only in the middle with no cord lock.

Blinds 260mm-390mm will have cord lock and filter at opposite ends.

Maximum Area Under Warranty:

4 square metres

Head Box

Width:

56mm

Height:

52mm

Thickness:

0.5mm

Material:

Roll formed steel, painted

Colour:

White, Magnolia, Camel, Dark Brown

Bottom Rail

Width:

51mm

Height:

16mm

Material:

Extruded Polystyrene Polymer

Colour:

Identical to Blade Colour

Fascia

Height:

90mm Curved Face

Thickness:

15mm

Material:

Extruded Polystyrene Polymer

Width:

Maximum Fascia width is 2700mm

Colour:

Identical to Slat Colour

Brackets:

Zinc Plated Steel Reveal or Face Fit Brackets

Blade Sizes

Width:
63mm

Thickness:
3.3mm

Material:
Extruded Polystyrene Polymer with an Embossed Woodgrain or Smooth Surface

Cords

Dimensions:
2.2mm diameter with re-inforced core

Material:
100% Polyester, heat set, non-stretch

Colour:
Colour Co-ordinated with blade colour and ladders

Control Cords Length:
750mm unless specified

Cord Holes:
3.3mm x 27.9mm

End Spacing:
150mm to the first cord for widths above 600mm

String Ladders

Rung Width:
66mm

Pitch:
56mm

Material:
100% Polyester, heat set, non-stretch

Colour:
Colour Co-ordinated with Blade colours and cords

String Ladders Standard:
Yes

Cloth Tape Ladders

Cloth Tape Ladders Rung Width:
66mm

Cloth Tape Ladders Pitch:
56mm

Cloth Tape Ladders Width:
25mm

Cloth Tape Ladders Material:
100% Polyester, yarn dyed

Cloth Tape Ladders Colour:
Limited colour range (Turnils)

Cloth Tape Ladders Optional:
Yes

Plastic Tape Ladders Optional:
No

Tilt and Lift Components

Mechanism:
Pull Cord Operation to open and close. Polyoxymethylene with Zinc heavy duty Gear for reliable operation

Tiltrod:
6mm square steel tiltrod attached through the filter mechanism.

Cord Lock

Material:
Zinc coated steel case with polymethylene rollers

Colour:
Silver

Installation Brackets

End Mounted:
Powdercoated Steel

Centre Support:

Powdercoated Steel

Spring Loaded Centre Support:

Zinc Coated Steel

Bottom Rail Hold Down:

Zinc Plated or Gold Plated Steel

Available Colours

Alabaster Embossed, Alabaster Smooth,
Coachwood Embossed, Ghost Gum Embossed,
Pearl White Embossed, Pearl White Smooth, Snow
White Embossed, Snow White Smooth, Timberlook
Yellowbox, Timberlook Jarrah

Stacking Height

Drop of Blind	String Ladder Stacking Height	Ladder Tape Stacking Height
500mm	92mm	107mm
1000mm	119mm	144mm
1500mm	146mm	181mm
2000mm	173mm	218mm
2500mm	200mm	255mm
3000mm	227mm	282mm

Child Safety

Breakaway tassels are fitted to each blind so that they will separate into two pieces when pressure is applied to the cords.

Cleats are also supplied to ensure that the cords can be tied up out of the way when the blind is pulled up.
